




4000013172

# P-0043

Ex Interface for 3 Ex loudspeakers and call buttons

- Ex Interface for 3 Substations (Call line + loudspeaker)
- ✓ Low voltage directive 2006/95/EC
- ✓ CE marking directive 93/68/EEC




### Description

The P-0043 is a substation interface unit for 3 Ex loudspeakers and call buttons.

### **Technical Dimensions**

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is



page 2/4

# **Specifications**

The P-0043, Ex Interface for 3 Ex loudspeakers and call buttons is inteded for installation inSAFE AREA. <u>Ex loudspeaker and Call button</u> are Ex approved and intended for installation in HAZARDOUS AREA

#### **MECHANICAL**

Dimensions (WxHxD)	200 x 150 x 77 mm
Weight	1.2 kg
Color	RAL 7035
Material	ABS
Mounting	Wall
Fixing	4 x M3 bolts
Access	Front
Cable Entry	Bottom/Top
Gland Type	6 x M20, 1 x M25


#### **ELECTRICAL**

Power Supply	from Master station
Termination	Screw terminals

#### **ENVIRONMENTAL**

Temperature	-15°C to +55°C
Ingress Protection Rating	IP-44

page 3/4



### **Used With**



GHG-411 EX

Callbox EX GHG 411



DSP-15 EExmN 15W/20

Ohm

Ex Speaker with 2 Cable Glands

page 4/4