

4000016817

## P-1603 PAGA Alarm Control Panel


Note: This product is only available as spare part.



### Description

- ✓ RS485 data communication with MPA 1600 Operation Unit
- ✓ 4 alarm keys marked with the text "ALARM" and red color
- ✓ Cancel key
- ✓ Protection against unauthorized use by means of time-trap functionality (the alarm keys and the cancel keys must be held for 1 sec. before activation)
- ✓ 6 LEDs indicating alarm status in each zone
- ✓ LED indicators for all keys
- ✓ Dimmable backlight and LEDs, remotely controlled from the adjacent MPA P-1601 Control Unit
- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ DNV-GL/ABS/RMRS/CCS/RINA type approval

# Technical Dimensions



# Specifications

## MECHANICAL

Dimensions (WxHxD)	96x144x24 mm
Weight	0.5 kg
Color	RAL 9005 / Natural
Material	Aluminium / Steel
Mounting	Console
Fixing	4 x M4 bolts
Access	Front
Cable Entry	Rear
Cable Type	2-pair cable, twisted pairs, min 2x2x0.5 mm <sup>2</sup>

## ELECTRICAL

Power Supply	24VDC from Control Rack (+/- floating)
Power Consumption	2.4 W
Termination	Termination Block
Compass Safe Distance	50 cm

## ENVIRONMENTAL

Temperature	-15°C to +55°C
Humidity	20% to 80% non-condensing
Ingress Protection Rating	IP-22

## SPARE PART

Main Board	PN 4000085154 - BRD 03118-009
------------	----------------------------------