



## Compact ICS

### Integrated Communication System

- ✓ Integrated Communication System designed for internal/external 2-way communication.
- ✓ The system is optimized for IMO/Solas requirements on both small and medium sized marine vessels.
- ✓ IP-22 Rating
- ✓ Capacity: Up to 72 lines
- ✓ Dual power supply: AC/DC or AC/AC



SIP








Onboard communication

## Description

The flexible configuration of the Compact ICS provides a cost effective solution for intercom, telephone, Public Address and loudhailing. The modern architecture offers network connection including cascading, remote service and interface to/from other IP based systems and components. The Compact ICS system is compatible with all existing intercom stations and offers a unique combination of analog, digital and IP based communication terminals. By adding the ICS P-6202 Billing Unit, logging and billing of calls are trackable using PIN and extension registration.

## Technical Dimensions



# Specifications

## MECHANICAL

Dimensions (WxHxD)	618x585x470 mm
Weight	30 kg

## PRODUCT VARIANTS

4000019779	Compact ICS 24 lines, AC/DC
4000019780	Compact ICS 24 lines, AC/AC
4000019781	Compact ICS 48 lines, AC/DC
4000019782	Compact ICS 48 lines, AC/AC
4000019823	Compact ICS 72 lines, AC/DC
4000019824	Compact ICS 72 lines, AC/AC