

3005010096

SPA-AC6-D

REPLACED BY: SPA-AC6-D | Zenitel


Description

- Alarmpanel for dual system
- Activating abandon, general or manual alarms
- Alarm reset button
- Replaceable text label for each button
- Separate Emergency button (EMS) for PA-message
- Hinged transparent protecting cover for all buttons
- To be used together with SPA-M6D
- Flush mounting, back box for wall mounting is available

The alarm panel can start three alarms and emergency message in a SPA-V2 public address and general alarm dual system.

page 1/4

Technical Dimensions



page 2/4

Specifications

GENERAL

| Size (WxHxD) | 96 x 144 x 82 |
|----------------------------|--|
| Weight | 0.4 kg |
| Material | Black anodized aluminium |
| Mounting | Flush, wall with use of back box |
| Connections | Plugable screw terminals for 2.5 mm2 cable |
| Cable glands | 2 x PG-16 |
| Cable size | 6 x 2 x 0.75mm2 |
| IP-rating | IP-44 |
| Operating temperature | -15°C to +55°C |
| Environmental Condition | Protected |
| | |

PRODUCT VARIANTS

| 2340110024 | SPA-AC6-D/US DUAL ALARM PANEL W/ |
|------------|-------------------------------------|
| | COV. & ILL. ACC |
| | USCG REGULATION. |

Accessories



ACBOKS

Wall-Mount Back Box for SPA-AC6, SPA-AC6-D Panels

page 4/4