zenitel

DATASHEET



4000014199

P-9217

Handheld Microphone

- Dynamic Omnidirectional Microphone
- PTT
- Curled cable and plug
- Saltwater resistant
- Weatherproof
- Complies with IEC 60945 Marine Equipment

Description

The P-9217 is a weatherproof handheld microphone. The unit comes with a plug for easy connection and an omnidirectional saltwater resistant microphone.


Technical Dimensions

www.zenitel.com info@zenitel.com

Last revision date: 2023-08-09 23:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

MECHANICAL	
Microphone type	Dynamic Omnidirectional
Dimensions (WxHxD)	70x114x37 mm
Weight	0.25 kg
Color	Black
Material	Shock-proof plastic housing
Fixing	Suspension eye

ELECTRICAL	
Impedance	~200Ω
Power Supply	from Central
Termination	Plug, AMP 4-pin
Compass Safe Distance	> 5 m

ENVIRONMENTAL	
Temperature	-25°C to +55°C (Storage: -25°C to +70°C)
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-47

Accessories

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Extension Cable for headset and hand microphone, 5 m

Item Number: 4000015203



Extension Cable for headset and hand microphone, 10 m

Item Number: 4000015204

Used With



P-0013

Bridge Wing Unit

Item Number: 4000011255

www.zenitel.com info@zenitel.com Last revision date: 2023-08-09 23:01

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.