



4000087624 / 4000082999

## P-7200

AC/DC &amp; AC/AC LAN Switch





- ✓ 24 Ethernet ports
- ✓ 2 slots for SFP modules
- ✓ Dual redundant power supply
- ✓ 10/100/1000 Mbps (24P)
- ✓ PoE (24 ports)
- ✓ 19" rack mounting
- ✓ Complies with IEC 60945 Standard for Marine Equipment
- ✓ DNV GLtype approval and compatible with NORSOK

---

## Description

The P-7200 AC/DC or AC/AC LAN switch has 24 ports that can all provide Gb ethernet connectivity as well as power for end devices (PoE). In addition, the switch has 2 slots for SFP modules for fiber connectivity providing 26 ports in total. The switch is fully manageable through the web and command line interface.

## Technical Dimensions



# Specifications

## MECHANICAL

Dimensions	19", 1U rack mounted, D=272 mm
Weight	3.9 kg
Color	RAL 9005
Material	Steel / Plastic
Mounting	Rack/ Console
Fixing	4 x M5 bolts
Access	Front
Cable Entry	Rear and Front

## ELECTRICAL

Power Supply	AC/DC: 90-250 VAC / 20-36 VDC. AC/AC: 90-250 VAC / 90-250 VAC
Output voltage	48VDC (PoE feed)
Power Consumption	225 W (max)
System power consumption	30 W
Heat Dissipation	45 W (max)
PoE power budget	150 W
Compass Safe Distance	<1.7 m

## ENVIRONMENTAL

Temperature	-15°C to +55°C
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-20

## PORTS

---

RJ45 Ethernet	10/100/1000:24
---------------	----------------

---

SFP	Gigabit2
-----	----------

---

PoE ports	24
-----------	----

---

## SYSTEM STATUS

---

Power supply status LED	Primary/Secondary
-------------------------	-------------------

---

System status LED	HW/SW status
-------------------	--------------

---

Per-port LEDs	10/100/1000: PoE, link/activity
---------------	------------------------------------

---