



2211100116

## 7212-FS DECT Handset

DECT Handset, IP54. Frequency-Swapping 1G8/1G9/SAM



## Description

The frequency-swapping version 7212\_FS DECT handsets are designed for long-term dependability and increased mobility in specialized working environments.

- ✓ Robust operation and handling, IP54
- ✓ Exceptional voice quality without any background noise, echo, delay, or interruptions
- ✓ Allows mobile employees to work more efficiently with extended battery life and quick recharging
- ✓ Color Display
- ✓ 12 different ringtones and vibration alert
- ✓ Advanced messaging
- ✓ Headset jack
- ✓ Handsfree

With these handsets, employees can benefit from being able to move around the office facility freely, while constantly being accessible as they roam within the work campus, and the frequency-swapping functionality ensures that customers have maximum flexibility when deploying DECT solutions in naval vessels, ships, boats and other

marine environments.

To successfully implement the frequency-swap functionality, customers must purchase both the frequency-swapping license ( (item number 2211020117) ) for the IP-DECT Server 6500 and the 7212\_FS DECT handset. This license will give the command to swap from G8 to G9 and opposite, and distribute the information to base stations. There are no specific base stations required so please purchase as per normal.

Frequency Bands:

- ✓ EMEA, Australia & New Zealand: 1880–1900MHz
- ✓ South America: 1910–1930MHz
- ✓ USA & Canada :1920–1930MHz (DECT6.0)

# Specifications

## GENERAL

|                       |  |
|-----------------------|--|
| Size                  | 149 x 50 x 28 mm   |
| Weight                | 123 g incl. battery  |
| Operating temperature | 0 - 40° C  |
| Charging temperature  | 0 - 25° C  |
| Speech time           | up to 23 (27 hours in economy mode)                        |
| Standby time          | up to 118 hours  |
| Approvals             | EMC: EN 301 489-1, EN 301 489-6; Drop test: IEC 60068-2-32 |

## ACCESSORIES

|            |   |
|------------|---|
| 2211100125 | Belt clip for 72 series and 76 series                     |
| 2211100556 | Charger kit for 7212, 7622 & 7642                         |
| 2211100601 | Spare Battery rechargeable for 72, 76-series DECT handset |

## LICENSES

|            |  |
|------------|--|
| 2211020117 | Frequency Swap License for IP-DECT Server 6500 |
|------------|--|

## Accessories



### Headset for DECT handset V2

Headset



### DECT Charger

Charger kit for 72-series,  
76-series DECT Handsets.  
Includes Power Supply  
100-240V

## Used With



### KWS6500

IP DECT Server for 30  
users, including software  
licence