zenitel

DATASHEET

3006120034

G0350

Cabinet For 8 Modules



Description


- This is the versatile main paging central cabinet when you need many modules in one cabinet, such as PABX-modules, alarm modules, serial interface modules and transmitters modules etc.
- Up to six modules can be fitted inside except for the 2 power supplies.
- A central unit module is always needed in the main paging central cabinet.
- Add G0352 cabinets If more transmitter modules are needed to have full coverage throughout the vessel


Technical Dimensions

www.zenitel.com info@zenitel.com Last revision date: 2023-08-08 14:20

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.





CABINET TECHNICAL DATA	
MAKER	RITTAL
MODEL	AE 1077.500
COLOR	RAL 7035
BASE WEIGHT	40 kg
PROTECTION	IP66

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Power supply: 230VAC	230V AC
Power consumption	Max. 260W
Connection	Screw terminals
Cabinet colour	RAL 7032
Dimensions (mm)	760W x 760H x 210D

www.zenitel.com info@zenitel.com Last revision date: 2023-08-08 14:20

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.