

2970000061

UPS-XPC-1000-120T

Tower Online UPS 1000W/30 min, 120V



Description

T91 UPS provides double conversion online power for light industrial applications, point of sale, servers and voice & data networks. T91 features unity output power factor to support up to 43% more critical loads than typical UPSs.

- ✓ UL, cUL, CE, RoHS, FCC B, FCC A
- ✓ T91 provides industry highest real power rating
- ✓ Extended battery packs for runtimes up to 4 hours
- ✓ Fast Recharge: up to 95% in just 3 hours
- ✓ Multiple communications capability
- ✓ Load shedding capabilities
- ✓ Emergency power off

Item 2970000124, consists of:

- ✓ UPS T91-1000, 1000VA/1000W 120V Tower UPS
- ✓ Extended Battery pack T91-BP36A

Specifications

GENERAL

Input Power rating	1000VA (1000W)
Input Voltage	55-150VAC
Input Frequency	50/60Hz auto-sensing
Output Voltage	120VAC nominal (100/110/115/127 selectable)
Frequency	50/60Hz auto-sensing \leq 1%
Efficiency	Up to 98% ECO Mode and 92% online mode
UPS, Dimensions	5.6" x 15.6" x 8.6" (W x D x H)
UPS, Weight	30 lbs
Battery type (included)	Up to 30 minutes
Battery Dimensions	5.6" x 15.6" x 8.6" (W x D x H)
Battery, Weight	44 lbs

GENERAL

Accessories



UPS-XPC-CARD

Dry Contact Interface Card

Item Number: 2970000204