

2970000061

UPS-XPC-1000-120T

Tower Online UPS 1000W/30 min, 120V

Description

T91 UPS provides double conversion online power for light industrial applications, point of sale, servers and voice & data networks. T91 features unity output power factor to support up to 43% more critical loads than typical UPSs.

- UL, cUL, CE, RoHS, FCC B, FCC A
- T91 provides industry highest real power rating
- Extended battery packs for runtimes up to 4 hours
- Fast Recharge: up to 95% in just 3 hours
- Multiple communications capability
- Load shedding capabilities
- Emergency power off

Item 2970000124, consists of:

page 1/4

UPS T91-1000, 1000VA/1000W 120V Tower UPS	
Extended Battery pack T91-BP36A	

page 2/4

Specifications

GENERAL

Input Power rating	1000VA (1000W)	
Input Voltage	55-150VAC	
Input Frequency	50/60Hz auto-sensing	
Output Voltage	120VAC nominal (100/110/115/127 selectable)	
Frequency	50/60Hz auto-sensing ≤ 1%	
Efficiency	Up to 98% ECO Mode and 92% online mode	
UPS, Dimensions	5.6" x 15.6" x 8.6" (W x D x H)	
UPS, Weight	30 lbs	
Battery type (included)	Up to 30 minutes	
Battery Dimensions	5.6" x 15.6" x 8.6" (W x D x H)	
Battery, Weight	44 lbs	

GENERAL

Accessories



UPS-XPC-CARD

Dry Contact Interface Card

page 4/4