



4000018610

P-9029

Headset with boom mic, headband, and 10m cable

- ✓ Headset for connecting directly to a TalkBack CIS Master Station
- ✓ PTT switchbox w/ belt clip
- ✓ Excellent noise performance
- ✓ High attenuating ear shells
- ✓ Standard with 10 meter cable



IP54



Onboard communication

Description

The P-9029 headset brings hearing protection and communication in noisy environments into a new level of performance with newly designed speakers and microphone.


The dual cup give a modern and slim look and is specially designed to provide excellent noise attenuation.

Applications


The P-9029 headset can enhance communication in noisy environments and other workplaces, where the workers need to be connected to their 2-way handheld or fixed systems throughout the day to help facilitate frequent contacts with co-workers.

Technical Dimensions

page 1/5



Specifications



GENERAL

Termination	Flying leads/ferrules, prepared for screw terminals
Microphone	20,5 mm. dynamic noise cancelling, 240 Ohm+- 30 %, sensitivity -57 dB+-3 dB, 0 dB=1v/pa at 1kHz, frequency response: 50Hz- 6KHz.
Earphone/Speakers	27 mm. diameter, 150 Ohm+-15 %, Parallel connection, frequency response: 50Hz-10KHz.
Temperature	-40 to +60 degrees C
Storage Humidity	< 90%
Protection	IP-54 (When worn)
Attenuation rating (HML)	H=32 dB / M=28 dB / L=20
Attenuation rating (SNR)	30 dB
CE Certificate no.	12151RHS01
Dimension (HxD)	Approximately 250 x 150 mm. (adjustable).
Weight	0.4 kg
Colour	Black/Yellow
Manufacturer	Zenitel (A-kabel)
Cable	10m

Accessories



Hygiene kit for Headset



Spare Boom Microphone
for Headset



Spare Boom Microphone for all
A-Kabel type Headsets



AK6070T Throat
microphone for all A-kabel
type Headsets

Dynamic Throat Microphone for
Headset

Used With



P-3100

CIS Talkback Master Station



P-3101

CIS Talkback Master Station



P-3102

CIS Talkback Master Station



P-3130

CIS Talkback Master Station



P-3132

Remote Talkback Master
Station