

2220012094

C1000-24FP-4G-L

Cisco C1000 24port 1G PoE+ switch with 4x1G SFP



CISCO Certified

Description

Cisco Catalyst 1000 Series Switches are fixed managed Gigabit Ethernet and Fast Ethernet enterprise-class Layer 2 switches designed for small businesses and branch offices. These are simple, flexible and secure switches ideal for out-of-the-wiring-closet and critical Internet of Things (IoT) deployments. Cisco Catalyst 1000 operate on Cisco IOS Software and support simple device management and network management via a Command-Line Interface (CLI) as well as an on-box web UI. These switches deliver enhanced network security, network reliability, and operational efficiency for small organizations.

IEC60945 Compliant, DNV Type approved for EXIGO and ACM systems by use together with AC filter, 1-phase, 3A, 250VAC

Specifications

Cisco Catalyst 1000-24FP-4G-L is managed 24-port switch with 24 auto-sensing 10/100/1000 PoE+ ports and 4x Gigabit Ethernet SFP ports .

PORTS

| | |
|-----------------------|---|
| 10/100/1000 RJ45 PoE+ | 24 |
| SFP | 4 |
| Console ports | 1x RJ45, USB mini-B and USB-A (for storage and Bluetooth console) |

ENVIRONMENT

| | |
|-----------------------------|------------------------------------|
| Operating temperature | -5°to 50°C |
| Operating relative humidity | 5% to 90% at 40°C (non-condensing) |

ELECTRICAL CHARACTERISTICS

| | |
|---------------------------|----------------|
| Frequency | 50 to 60 Hz |
| AC voltage | 110 to 220 VAC |
| Current | 4.25A to 2.07A |
| Maximum power Consumption | 405.4W |
| Available PoE Power | 370W |

DIMENSIONS & WEIGHT

| | |
|------------------------|---------------------|
| Dimensions (W x D x H) | 445 x 345 x 44 mm |
| Weight | 4.6 kg |
| Mounting | Rack Mountable, 1HU |

Used With



LAN-FLT

AC filter, 1-phase, 3A,
250VAC

Item Number: 2810060003