

4000015155

**P-4053**

Junction Box for VSP - Up to 12 telephones



Onboard communication

## Technical Dimensions



# Specifications

## MECHANICAL


Dimensions (WxHxD)	360x160x90mm
Weight	2.8 kg
Color	RAL 7000
Material	Polyester
Mounting	Wall
Fixing	4 x M6 bolts
Access	Front
Cable Entry	Bottom/Top
Cable Gland	Optional (12x PG21 or M40 max)

## ELECTRICAL

Termination	3x16 + 4x2 (56) pcs Wago 2002-1401 0.25 - 2.5 mm <sup>2</sup>
Compass Safe Distance	> 5 m

## ENVIRONMENTAL

Temperature	-25°C to +55°C (Storage: -25°C to +70°C)
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-56



## Accessories



### M40 Cable Gland for VSP Junction Box, preinstalled

M40 Cable Gland for VSP Junction box

Item Number: 3006200064

## Used With



VSP-211-L

Main Station - Batteryless Telephone System - 12-Way

Item Number: 1020600931



VSP-213-L

Main Station - Batteryless Telephone System - 12-Way

Item Number: 1020600935



VSP-223-L

Main Station - Batteryless Telephone System - 12-Way

Item Number: 1020600943



VSP-122

Main Station

Item Number: 1020600910



VSP-122P

Portable Station Batteryless Telephone System 12-Way

Item Number: 3006200024