


3005020033

MB-30G

Gooseneck Microphone










Description

- Electret Gooseneck Microphone
- 5-pin DIN plug
- For use in Public Address and Talk-Back Systems
- For correct operation and performance speaking distance approximate 2cm.

Technical Dimensions

page 1/5



page 2/5

Specifications

GENERAL

Manufacturer	Paso
Туре	Electret
Art.no	MB-30G
Impedance	680 ohm
Freq.response	100 - 20000 Hz
Sensitivity	4mv/Pa
Supply	1.1-9 V
Front rear ratio	10 dB
Length	446 mm
Plug	5 pole DIN
Windscreen	Detachable sponge windscreen
Weight	0.1 kg
IP Rating	IP-32
Operating temperature	-15°C to +55°C
Environmental Condition	Protected

Used With









ECPIR-3P

Exigo Access Panel / Turbine Intercom ECPIR-P

Exigo Call Panel, PTT Button

SPA-M6-V2

SPA-M6-D









SPA-M1-V2

SPA-M1-D

CTB-10

Control Unit This product has been replaced by Phontech CIS Talk-Back System CTB-20

Control Unit This product has been replaced by Phontech CIS Talk-Back System



ETB-5

Central Panel Mounted This product has been replaced by Phontech CIS Talk-Back System

page 4/5









ETB-10

Central, Panel Mounted This product has been replaced by Phontech CIS Talk-Back System

ETB-10A

Central incl. All-call 10 lines panel mounted This product has been replaced by Phontech CIS Talk-Back System

ETB-100

Central, Panel Mounted This product has been replaced by Phontech CIS Talk-Back System

ETB-100A

Central panel mounted 10 lines This product has been replaced by Phontech CIS Talk-Back System