

2310601047

190020-02

Digital Clock, LUMEX 7, RED, PoE



Description

- ✓ Digit height 70 mm Lumex 7
- ✓ DCF format with time zone adjustment
- ✓ Ethernet PoE
- ✓ Light intensity of the digits adjustable by a dimmer control

LUMEX 7 is an elegant digital clock for indoor use designed to fit the sophisticated environments of today's Business society. The black case provides an elegant impression. The digits formed of SMD diodes Lumex 7 viewing distance up to 35 m. The light intensity of the digits is adjustable by a dimmer control. Easy to program – via three buttons (NTP configured via web browser). 48 hours running reserve. After a mains failure correct time is automatically displayed.

Specifications

GENERAL

| | |
|-------------------------------|---|
| Housing | Black aluminium |
| Front | Front Polycarbonate |
| Protection | IP-30 |
| Standards | EN61000-6-3:2001, EN61000-6-2:2005 |
| Power supply (optional) | 110 - 230V AC (external power supply) |
| Slave clock/ TC: | Ethernet PoE |
| NTP | SNTP, SNMP v1, HTTP, Telnet Fix IP address or DHCP 10BASE-T (RJ-45) connections Web- Based device management Support for DNS |
| Dimension (WxHxD) | 325 x 120 x 50 |
| Mounting / Installation | Single sided for surface wall mounting or single/double sided using bracket |
| Connection signal | Ethernet PoE |
| Connection power | 3 wire |
| Microcontroller | PIC16F628 |
| Temperature range | 0°C to +40°C |
| External power consumption | 350mA |