zenitel

DATASHEET

3005020055

# SPS-4

Power Supply



## Description

- Power supply 115 / 230V AC to 24V DC with autoswitch relay for Main / UPS supply and power failure contact no/nc
- Compact steel housing for wall mounting
- Screw terminals for ship's cable
- Unmatched efficiency up to 95%
- Active filtering of input transients
- Large output capacitors
- DC-OK relay contact




www.zenitel.com info@zenitel.com

Last revision date: 2024-05-24 15:11

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Technical Dimensions









Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.






www.zenitel.com info@zenitel.com Last revision date: 2024-05-24 15:11

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

## GENERAL

| | |
|---|---|
| Dimensions (WxHxD) | 200 x 250 x 150 mm |
| Colour | Grey RAL 7032 |
| Weight | 4.1 kg |
| Input voltage 1 | 110 - 230 VAC |
| Input voltage 2 | 24 VDC Emergency |
| Output voltage | 24 V - 28 VDC |
| Output current cont. | 4.2 A |
| Output power cont. | 110 W |
| Rippel & Noise volt. | 50 mVpp |
| Relay | For automatic switching<br>Main / UPS |
| Power failure | Normal open / normal<br>closed contacts |
| Operating temp. | -25 to +60 °C |
| IP-rating | IP-44 |



www.zenitel.com info@zenitel.com Last revision date: 2024-05-24 15:11

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.