zenitel

DATASHEET



1020600935

VSP-213-L

Main Station - Batteryless Telephone System - 12-Way

- 12 extensions selector switch
- Flush mounted
- Wall mounting with corresponding metal cabinet type MBOKS-G
- Desk mounting with corresponding wooden cabinet type VSPC-OAK
- Suitable for installation in wheelhouse, control room or accommodation

IP44

Description

VSP-213-L Main Station: Flexible Batteryless Telephone Solution

The VSP-213-L main station is part of our 12-way Batteryless telephone system. The 12-Way system consists of up to 12 main stations with selector switch for selective calling between all connected stations.

Features include:


- Multiple Mounting Options: Flush, wall, or desk mounting to accommodate different spaces.
- 12-Position Selector Switch: Allows for efficient communication between stations, crucial in emergencies.
- Reliable Functionality: Ensures clear communication, even during complete vessel power blackouts.

Designed for both general and accommodation areas, the VSP-213-L meets the stringent demands for reliable secondary communication onboard.

Technical Dimensions

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Note: VM-0411 Protection Cover is an optional accessory

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

SPECIFICATIONS	
Connections	Screw terminals
Colour	Black
IP rating	IP-44
Dimensions (WxHxD)	238 x 205 x 137 mm (w/ handset and built-in depth)
Panel cut-out	205 x 105 mm
Weight	1.3 kg
Operating temperature range	-25°C to 55°C
Compass Safe Distance	> 155cm

Accessories



VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable

Item Number: 1020600771



VSP-36-PEL-A/20

Headset with boom mic, headband, and 20m cable

Item Number: 1020600772



CD-4

Plugbox Waterproof

Item Number: 1020159000



VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable

Item Number: 1020600773

www.zenitel.com info@zenitel.com Last revision date: 2026-08-27 14:18

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



VSP-36-PELP-A/20

Headset with boom mic, headband, and 20m cable

Item Number: 1020600774



MBOKS-G

VSP Batteryless Telephone System

Item Number: 3006090578



VSPC

MDF Cabinet with OAK embossed Vinyl laminate

Item Number: 3006200062



IRR-24

Relay Box

Item Number: 3006202045



IRR-VSP-220

Relay box 220V AC for VSP-12 way

Item Number: 1020600995



VM-0411

Protection cover for VSP-stations

Item Number: 3006090492

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.