zenitel

DATASHEET



3006200029

VSP-213M-L

Main Station - Batteryless Telephone System - 20-Way

- 20 extension system
- 2 positions group selector switch
- 10 extension line selector switch
- LED call indication in front
- Flush mounted
- Wall mounting with corresponding metal cabinet type MBOKS-G
- Desk mounting with corresponding wooden cabinet type VSPC-OAK
- Suitable for installation in accommodation and control rooms

IP44

Description

VSP-213M-L Main Station: Dependable Onboard Batteryless Telephone

The VSP-213M-L Main Station, part of our reliable 20-Way Batteryless Telephone System, is tailored for ships needing consistent and clear secondary communication. This unit's design allows for flexible installation and operation, making it a solid choice for strategic communication across a vessel. Key aspects include:


- Flexible Installation: Options for flush, wall, or desk mounting cater to various onboard needs.
- Selective Calling: Enhanced with a 10-position selector switch and a 2-position group selector for efficient communication between stations
- Designed for Strategic Placement: Ideal for accommodation areas, ensuring communication remains uninterrupted, even during power failures.

The VSP-213M-L is crafted for vessels that prioritize dependable and efficient communication in line with global safety standards.

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Technical Dimensions



Note: VM-0411 Protection Cover is an optional accessory

www.zenitel.com info@zenitel.com Last revision date: 2025-05-09 12:45

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL	
Connections	Screw terminals
Color	Black
IP rating	IP-44
Dimensions	238 x 130 x 77 mm
Panel cut-out	205 x 105 mm
Weight	1.30 kg
Operating temperature range	-25°C to 55°C
Compass Safe Distance	> 155cm

Accessories



MBOKS-G

VSP Batteryless Telephone System

Item Number: 3006090578



VSPC

MDF Cabinet with OAK embossed Vinyl laminate

Item Number: 3006200062



VM-0411

Protection cover for VSP-stations

Item Number: 3006090492



CD-4

Plugbox Waterproof

Item Number: 1020159000

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



IRR-VSPM-24

Relay box 24V DC for VSP M

Item Number: 3006200005



IRR-VSPM-220

Relay Box 220V AC for 20 Way system

Item Number: 3006200004



VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable

Item Number: 1020600771



VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable

Item Number: 1020600773



VSP-36-PEL-A/20

Headset with boom mic, headband, and 20m cable

Item Number: 1020600772



VSP-36-PELP-A/20

Headset with boom mic, headband, and 20m cable

Item Number: 1020600774

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.