

2220040018

Bergen Cabling

Maritime Lan Patch Panel 24P



SPARE PART

Product image
not available

Description

- ✓ 19" Patch panel 1 HU of solid stainless steel - 24 ports
- ✓ Front adjustable from flush to 7 cm rear
- ✓ Heavy duty solution for maritime and offshore installations with good distance from fastening the cable to the snap in connector
- ✓ Clip-on mechanism: enhanced strain relief
- ✓ Extra tightening mechanism for the snap-ins for vibrations resistance
- ✓ Labelling strip included

This panel is a DNV approved solution in all stainless steel so critical part such as the fastening mechanism for the connectors and the Clip-on mechanism for grounding strain relief are according to marine standards and environment. The panel is suitable for 24 x Bergen Cabling CAT6a snap in connectors. It enables a secure and vibration proofed mount of up to 24 snap-in connectors.

page 1/4

The front plate is easy to adjust so it will fit all 19" cabinet frames. Grounding facilities included as well as labelling solution with plastic cover.

The panel is also prepared for hybrid solution with every second port as fiber optic LC adaptor.

page 2/4

www.zenitel.com

info@zenitel.com

Last revision date: 2022-08-26 09:27

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend: Zenitel – All rights reserved.

Specifications

page 3/4

www.zenitel.com

info@zenitel.com

Last revision date: 2022-08-26 09:27

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend: Zenitel – All rights reserved.

GENERAL

Dimensions (HxWxD) mm	45 x 446 x 200
Weight	1.3 kg
Construction	Stainless steel
Connectors	Bergen Cabling CAT6a snap-in connectors
Number of ports	24
Supports	CAT6a, LC fiber optic
Approvals	DNV
Tested according to:	
Cables	DNV Rules for Classification of Ships, High Speed & Light Craft And DNV Offshore Standards, Type Approval Programme No. 6-827.50-2, IEC 60332-3-24 (2000-10), IEC 61156-5 Ed. 2.0. Co1.1 (13.05.2009), IEC 60754-1 (1994-01), IEC 60754-2 (1997-04), IEC 61034-1/2 (2005- 04/2005-04)
Connectors	ISO/IEC 11801 – Information technology – Generic cabling for customer premises. IEC 60603-7-51 – Connectors for electronic equipment – part7-51: Detail specification for 8-way, shielded, free and fixed connector for data transmissions with frequencies up to 500MHz