zenitel

DATASHEET

2310111163

SH81HD

Outdoor Camera HD 4MP PoE, 81 deg



- IP66/67 Maritime models
- 81° horizontal field of view
- 4 Megapixel resolution
- Built-in 6mm fixed lens
- Min. Illumination Color : 0.3Lux, B/W : 0,03Lux
- True Day Night
- Wide Dynamic Range 120dB
- Video Compression Format H.265, H.264, MJPEG
- Max. Framerate H.265/H.264: Max. 30fps at all resolutions, MJPEG: Max. 15fps
- PoE (IEEE802.3af, Class3) Max 7W
- 2,5m pigtail with industry V4 plug halogen free
- Motion detection, Tampering, Defocus detection
- Hallway view, WiseStream support

IP66 IP67

Description

SH81HD Seahawk 4MP PoE Outdoor camera for marine use.

81 degrees IP66/67


Technical Dimensions

www.zenitel.com info@zenitel.com

Last revision date: 2023-06-02 17:24

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

DESCRIPTION	
Size (Length w/ bracket)	360 mm
Weight	2.7 kg
Protocols	TCP/IP, UDP/IP, RTP(UDP), RTP(TCP), RTCP, RTSP, NTP, HTTP, HTTPS, SSL/TLS, DHCP, PPPoE, FTP, SMTP, ICMP, IGMP, SNMPv1/v2c/v3(MIB-2), ARP, DNS, DDNS, QoS, PIM-SM, UPnP, Bonjour

OTHER MODELS	
2310111107	SH53HD Seahawk camera HD 4MP PoE, 53 deg, IP66/67

www.zenitel.com info@zenitel.com Last revision date: 2023-06-02 17:24

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.