



## 2310111163

# SH81HD

## Outdoor Camera HD 4MP PoE, 81 deg

- IP66/67 Maritime models
- 81° horizontal field of view
- ✓ 4 Megapixel resolution
- Built-in 6mm fixed lens
- ⊘ Min. Illumination Color : 0.3Lux, B/W : 0,03Lux
- True Day Night
- ⊘ Wide Dynamic Range 120dB
- ⊘ Video Compression Format H.265, H.264, MJPEG
- Max. Framerate H.265/H.264: Max. 30fps at all resolutions, MJPEG: Max. 15fps
- ⊘ PoE (IEEE802.3af, Class3) Max 7W
- ⊘ 2,5m pigtail with industry V4 plug halogen free
- Motion detection, Tampering, Defocus detection
- ⊘ Hallway view, WiseStream support

💭 IP66 🔛 IP67

# Description

SH81HD Seahawk 4MP PoE Outdoor camera for marine use.

81 degrees IP66/67


# **Technical Dimensions**

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

### DESCRIPTION

Size (Length w/ bracket)	360 mm
Weight	2.7 kg
Protocols	TCP/IP, UDP/IP, RTP(UDP),
	RTP(TCP), RTCP, RTSP,
	NTP, HTTP, HTTPS, SSL/TLS,
	DHCP, PPPoE, FTP, SMTP,
	ICMP, IGMP,
	SNMPv1/v2c/v3(MIB-2), ARP,
	DNS, DDNS, QoS, PIM-SM,
	UPnP, Bonjour

### OTHER MODELS

2310111107	SH53HD Seahawk camera HD
2310111107	4MP PoE, 53 deg, IP66/67

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.