

2810011050

## CAB-CE-S

Cable entry gland w/sealing membranes Ø7 to 26mm



- ✓ IP55
- ✓ Width: 250 mm
- ✓ Depth: 160 mm

---


---

## Description

SV Cable entry gland, with sealing membranes, 32x Ø 7-16 mm, 4x Ø 10-20 mm, 3x Ø 14-26 mm, insulating material. Its width of 250mm and its depth of 160mm ensures that it can fit on most of the cabinet tops. Since it has an IP grade of IP55 it's perfect for retaining a high IP grade even with a cable entrance from the top.

Fits on cabinets from the CABxx range.

## Technical Dimensions



# Specifications

## TECHNICAL DATA

Dimensions	Width: 250 mm Depth: 160 mm
Weight	0,34 kg
IP protection	IP 55

## Used With



### CAB15F-V2

Floor cabinet 19" 15HU  
600x600x800mm fixed frame



### CAB24FW-V2

Floor cabinet 19" 24HU  
800x600x1200mm fixed frame



### CAB24FWD-V2

Floor cabinet 19" 24HU  
800x800x1200mm fixed frame



### CAB42F-V2

Floor cabinet 19" 42HU  
600x600x2000mm fixed frame



### CAB42FW-V2

Floor cabinet 19" 42HU  
800x600x2000mm fixed frame



### CAB42FWD-V2

Floor cabinet 19" 42HU  
800x800x2000mm fixed frame



### CAB24F-V2

Floor cabinet 19" 24HU  
600x600x1200mm fixed frame



### CAB24SW-V2

Floor-mounted 24HU cabinet -  
800x1200x600mm (WxHxD)  
swing frame



**CAB42SWD-V2**

Floor cabinet 19" 42HU  
800x800x2000mm swing  
frame



**CAB42FD-V2**

Floor cabinet 19" 42HU  
600x800x2000mm fixed frame



**CAB42FWDD**

Floor cabinet 19" 42HU  
800x1000x2000mm fixed  
frame