



2810011082

CAB-CE-BRUSH

Cable entry with brushes - 60x650mm

- ✓ Cable entrance dimensions: 60x650mm
- ✓ Cut-out dimensions: 76x650mm

Description

Cable entry with brushes can be used on the cabinets where higher IP protection is not the requirement. Item consisted of 2 brush stripes with a total length of 650mm sufficient for cable entry with dimensions of 60x650mm. The cut-out on the cabinet needs to be 76x350mm.

Specifications

TECHNICAL DATA

Dimensions of cable entrance	Width: 650 mm Depth: 60 mm
------------------------------	----------------------------

Dimensions of cut out	Width: 650 mm Depth: 76 mm
-----------------------	----------------------------

Weight	0,28 kg [0,62 lbs]
--------	--------------------

Bristle length	30 mm
----------------	-------

Used With



CAB15F-V2

Floor-mounted 15HU cabinet - 600x800x600mm (WxHxD) fixed frame



CAB24FW-V2

Floor-mounted 24HU cabinet - 800x1200x600mm (WxHxD) fixed frame



CAB24FWD-V2

Floor-mounted 24HU cabinet - 800x1200x800mm (WxHxD) fixed frame



CAB42F-V2

Floor-mounted 42HU cabinet - 600x2000x600mm (WxHxD) fixed frame



CAB42FW-V2

Floor-mounted 42HU cabinet - 800x2000x600mm (WxHxD) fixed frame



CAB42FWD-V2

Floor-mounted 42HU cabinet - 800x2000x800mm (WxHxD) fixed frame



CAB24F-V2

Floor-mounted 24HU cabinet - 600x1200x600mm (WxHxD) fixed frame



CAB24SW-V2

Floor-mounted 24HU cabinet - 800x1200x600mm (WxHxD) swing frame



CAB42SWD-V2

Floor-mounted 42HU swing frame cabinet - 800x2000x800mm (WxHxD)



CAB42FD-V2

Floor-mounted 42HU cabinet - 600x2000x800mm (WxHxD) fixed frame



CAB42FWDD

Floor-mounted 42HU cabinet - 800x2000x1000 (WxHxD) fixed frame