

1200410300

MPS30-GO-IP

Desk Mount Paging and Emergency Mic with 30 Buttons - Gooseneck - IP enabled



- ✓ EN 54-16 CERTIFIED
- ✓ DESK MOUNT GOOSENECK MICROPHONE
- ✓ 30 PHYSICAL BUTTONS
- ✓ LIVE AND STORE-AND-FORWARD SUPPORTED
- ✓ ANALOGUE OR IP CONNECTIVITY
- ✓ DUAL HOSTING
- ✓ HARDWARE FALL BACK SUPPORTED
- ✓ LOUDSPEAKER WITH PA ZONE LISTEN-IN FUNCTION
- ✓ BACKGROUND MUSIC INPUT AND CONTROL
- ✓ HEADSET SUPPORT
- ✓ LIVE, STORE-AND-FORWARD, AND RECORDED
- ✓ COMPATIBLE WITH THE VIPEDIA AND VIPA RANGE



Civil Defence Approval



Voice Alarm



Public Address

EN54

EN 54 Certified

Description

The MPS30 is a powerful and flexible 30 button paging and or emergency microphone which can provide live, store-and-forward, and recorded message broadcast into user selected zones. Including EN 54 compliant emergency functions and all mandatory indicators and controls.

It consists of a sloping desk console with a flexible gooseneck paging microphone, graphic LCD display, and silent operation 'Touch to Talk' touch pad PTT button. PA zone selection is provided by the Select buttons or by using the rotary selector and graphic LCD display. There is also a VU bar-graph which displays the microphone signal level.

The MPS range can be connected directly to either one or two ASL audio routers using analogue audio and a serial link. There is also an RJ45 Ethernet IP interface with Power over Ethernet for connection to ASL IP PA/VA systems, and for use with VIPA enabled PC workstations. All interconnecting cabling and the microphone capsule are continuously monitored.

As well as the main microphone gooseneck, there is a 3.5mm jack plug connection for an auxiliary audio input, such as for background music, and for connection of a microphone headset. A general purpose local contact input and output enables use with PTT foot switches and external speak-now indicators.

The MPS microphone range can be used freestanding on a desk as standard, or can be permanently mounted with the optional mounting bracket MPX. This bracket gives options to mount the microphone flat on a wall, built onto consoles or fixed on desks.

The MPS can be purchased with a fist microphone replacement for the standard gooseneck if required. Please contact Zenitel for more details.

Accessories



VIPEDIA-BOA01

Din Rail Mount RJ45 Breakout Adapter - Single Port




VIPEDIA-BOA02

Din Rail Mount RJ45 Breakout Adapter - Four Port



MPX10

Expansion Module for MPS01 with 10 buttons



MPX10-MB

Wall mount bracket kit for MPS10-50

Used With



VIPEDIA-12-NET

PAVA Audio router with network card



VIPEDIA-12-PRO

PAVA Audio router with network card - Dante Enabled



INTEGRA-03

Wall Mount PAVA System (3 amps)



INTEGRA-05

PAVA Wall Mount System (5 amp channels pre installed)



INTEGRA-07

PAVA Wall Mount System (7 amp channels pre installed)



INTEGRA-10

PAVA Wall Mount System (10 amp channels pre installed)



INTEGRA-PRO-03

PAVA Wall Mount System (3 amp channels pre installed) - Dante® Enabled



INTEGRA-PRO-05

PAVA Wall Mount System (5 amp channels pre installed) - Dante® Enabled

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



INTEGRA-PRO-07

PAVA Wall Mount System (7 amp channels pre installed) - Dante® Enabled



INTEGRA-PRO-10

PAVA Wall Mount System (10 amp channels pre installed) - Dante® Enabled