



1008140330

**TA-33** 

Turbine Extended On-wall Backbox

Backbox for Wall mouting TEIV+ Intercoms





## Description


Cast Aluminium surface-mount Backbox

### **Technical Dimensions**

120

page 1/4

certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



page 2/4

www.zenitel.com info@zenitel.com

Last revision date: 2024-03-20 16:27

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



page 3/4

# **Specifications**

#### **MECHANICAL**

Size (WxHxD): 120 x 305 x 62mm	Wt: 1.05kg
Ingress protection rating	IP-66, tested according to EN 60529
Impact protection rating	IK 10, tested according to EN 62262
Material	Aluminum alloy - AlSi12 (EN AB-44200,DIN230), painted
Finish	IGP-DURA®pol 681T, Grey RAL 9007. Custom colors possible*
	*Please contact our local sales office for details.

#### **Used With**



TEIV-4+ | Video Intercom with RFID card reader space

IP & SIP Video Intercom with RFID card reader space



TEIV-1+ | Video Intercom with Keypad and Display

IP and SIP Video Intercom with Keypad and Display