2810010104

CABZB15U

Wall cabinet 15 HU 600x765x600 mm IP-20

Description

Our Single-Section Indoor Cabinet is designed for indoor applications, offering convenience and versatility. With its removable side panels and sturdy construction, this cabinet provides an efficient solution for your installation needs.

Equipped with two adjustable 19" mounting profiles, this cabinet provides the flexibility to position your system components as desired, accommodating various equipment sizes and configurations.

Efficient cable management is facilitated by the cable openings on the top and bottom plates, which are covered with knock-out blanking plates. Additionally, each plate features three venting holes, promoting proper airflow and ensuring optimal cooling for your equipment.

Installing the cabinet is a breeze, as the door, side panels, and mounting profiles can be effortlessly assembled without the need for any tools. This streamlined setup process saves time and effort during installation. For convenient maintenance and adjustments, the side panels can be easily removed after opening the door. This allows for hassle-free access to the interior of the cabinet, making any necessary modifications or repairs a seamless process.

This cabinet is suitable for:

- ✓ Radio
- ✓ LAN
- ✓ CCTV
- ✓ IPTV
- ✓ DECT
- ✓ Paging
- ✓ Masterclock

Technical Dimensions

TOP VIEW

LEFT VIEW

765 [30,12]

FRONT VIEW

600 [23,62]

RIGHT VIEW

600 [23,62]

REAR VIEW

630 [24,80]

525 [20,67]

BOTTOM VIEW

www.zenitel.com   info@zenitel.com

Specifications

GENERAL

Dimensions (WxHxD)	600x765x600 mm
Color	RAL 7035
Material	Steel
Ingress grade	IP-20
Mounting	Wall mounted
Cable inlet	Top or bottom
Maximum load capacity	67kg

www.zenitel.com   info@zenitel.com