zenitel

DATASHEET

2213001004

# AT-55 Analog Desk Phone

## Analog telephone with display




- Desktop telephone with caller ID
- 10 one-touch speed dial functionality
- 2x16 digit display
- Hands-free monitoring mode
- Speaker volume control
- Speaker and hold keys
- Up to 90 records of incoming call history

## Description

The AT-55 Analog Desk Phone with display is intended for analogue extensions on ICX-Alphacom, ACM or ICS systems. The telephone is well suited for desktop installations in cabin or office environments. The telephone is easy to use with ten speed dial buttons, 90 callers list, in use lamp, handset volume control, MWL support, speakerphone and speakerphone volume control. The phone LCD is 2 x 16 digit.

## Technical Dimensions




www.zenitel.com info@zenitel.com Last revision date: 2024-12-06 16:41


Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.


FRONT VIEW




REAR VIEW




SIDE VIEW






www.zenitel.com info@zenitel.com Last revision date: 2024-12-06 16:41

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

| **DIMENSION (HXWXD)** | **148 X 219 X 78 MM** |
|---|---|
| Weight | 0,62 kg |
| Display | 2 x 16 digit |
| Speed dial | 10 buttons |
| Speaker | Yes (with adjustable volume) |



www.zenitel.com info@zenitel.com Last revision date: 2024-12-06 16:41

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.