zenitel

DATASHEET

2310101062

WAS0V5L5M00 Washer Tank 5L



Washer Tank

- Polyethylene tank with stainless steel cage
- 5L water tank capacity
- 5m tube length
- IP66

Description

The WAS0V5L5M00 Washer Tank 5L is a washing kit consisting of a water tank with an integrated pump for PTZ cameras and camera housings equipped with wiper. With the use of antifreeze liquid, the minimum operating temperature goes down to -10°C (without reduced performance and delivery height) and -25°C (with reduced performance and delivery height).

www.zenitel.com info@zenitel.com

Last revision date: 2023-09-22 11:51

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Materials	Polyethylene tank, Stainless steel cage
Dimensions	217 x 272 x 257 mm
Cable Glands	1xM20 +3xM16
Unit Weight	3.5 kg
Water Tank Capacity	5L
Delivery Head	5m max
Tube Length	5m
Supply Voltage / Current Consumption	230Vac, 0.3A, 50/60HZ
	120Vac, 0.6A, 50/60HZ
	24Vac, 1.8A, 50/60Hz
Maximum Operating Temperature	60°C
Maximum Operating Temperature with antifreeze liquid in solution	-10 °C
Maximum temperature with antifreeze liquid in solution (reduced performance and delivery height)	-25 °C
Electrical Safety(CE)	EN60950-1
Electromagnetic compatibility(CE)	EN50130-4,EN61000-6-3, EN55032 (Class B), FCC Part 15 (Class B)
Outdoor Installation(CE)	EN60950-22
IP Protective degree (EN60529)	IP66
Certification	EAC

www.zenitel.com info@zenitel.com Last revision date: 2023-09-22 11:51

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.