



2220018015

Patch Cable UTP Cat.6 0,5m

Patch Cable UTP Cat 6

- ✓ Can handle 1Gbps speed
- ⊘ 250MHz bandwidth
- ✓ 10Gbps over shorter distances
- Gold-plated solid cast RJ45 connectors
- For Gigabit Networks
- Available in
 - Orey, Red, Blue and Green
 - Ø,5 5 meter variants

Description

Network cable for home, small and medium-sized businesses. Cat.6 cables are used in installations where transmission speed requirements do not exceed 1Gbps, and do not change in the future. Can handle 1Gbps speed and 250MHz bandwidth (10Gbps over shorter distances).

page 1/4

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Specifications

Specifications

GENERAL

Color	Grey, Red, Green, Blue - see variants table below
Length	0,5 - 5 meter - see variants table below
Category	Cat.6
Connector type 1	RJ-45 male (8P8C)
Connector type 2	RJ-45 male (8P8C)
Conductor material	Copper
Cable shielding	U/UTP - unshielded/unshielded twisted pairs
Conductor design	Stranded

Extended specifications

EXTENDED SPECIFICATIONS

AWG wire size:	24
Transmission speed:	2400Mbps
Frequency (Mhz):	250
Anti-kink sleeve:	6.2mm
Cable structure:	4 x 2 AWG 24/7 Twisted pair
Locking type:	Snagless
NVP value:	69%
Jacket material:	LSZH
Pin Assignment:	568B-568B
Halogenfree:	Yes
Oil resistant:	No
Fire retardant version:	Yes
Connector contact plating:	50µ gold plated
Certifications:	CE, RoHS

page 2/4

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ORDER VARIANTS

ITEMNUMBER	DESCRIPTION
2220018014	PATCH CABLE UTP Cat.6 5m GREY (LSOH)
2220018016	PATCH CABLE UTP Cat.6 0,5m RED (LSOH)
2220018017	PATCH CABLE UTP Cat.6 0,5m GREEN (LSOH)
2220018018	PATCH CABLE UTP Cat.6 0,5m BLUE (LSOH)
2220018019	PATCH CABLE UTP Cat.6 1m GREY (LSOH)
2220018020	PATCH CABLE UTP Cat.6 2m GREY (LSOH)
2220018021	PATCH CABLE UTP Cat.6 2m RED (LSOH)
2220018022	PATCH CABLE UTP Cat.6 2m GREEN (LSOH)
2220018023	PATCH CABLE UTP Cat.6 2m BLUE (LSOH)
2220018024	PATCH CABLE UTP Cat.6 3m GREY (LSOH)
2220018029	PATCH CABLE UTP Cat.6 1m RED (LSOH)

page 3/4

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Project Orders ONLY - On Request!

ITEMNUMBER	DESCRIPTION
9012212015	PATCH CABLE UTP Cat.6 0,25m GREY (LSOH)
9012212016	PATCH CABLE UTP Cat.6 1,25m GREY (LSOH)
9012212017	PATCH CABLE UTP Cat.6 1,50m GREY (LSOH)
9012212018	PATCH CABLE UTP Cat.6 1,75m GREY (LSOH)
9012212019	PATCH CABLE UTP Cat.6 2,25m GREY (LSOH)
9012212020	PATCH CABLE UTP Cat.6 2,50m GREY (LSOH)
9012212021	PATCH CABLE UTP Cat.6 2,75m GREY (LSOH)

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.