



2810011091

CAB-BASE-88

Base / plinth for 800x800mm cabinets

- ✓ For 800x800mm cabinets
- 100mm height

## Description

CAB-BASE-88 is base / plinth for 800x800mm cabinets.

The base / plinth can be used when there is a need for extra space for cables incoming from the bottom. It has 2x@15 holes;one should be used for mounting the base to the floor foundation and another one for the cabinet. Cabinet has@15 and M12 threaded holes available for securing it to the base / plinth.

Depending on the application, base / plinth corner pieces with moulded self-positioning to the enclosure may be used with or without trim panels. Large openings in the base/plinth corner piece may be concealed with a plastic corner and baying cover for optimum access to the screw-fastening point. Front, rear and side plates can be removed to enable transportation of a cabinet with a forklift.

### page 1/3

#### www.zenitel.com


#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# **Technical Dimensions**





page 2/3

### www.zenitel.com

### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

## **TECHNICAL DATA**

| Dimensions (WxDxH) | 799x772x100mm       |
|--------------------|---------------------|
| Weight             | 8,24 kg [18,17 lbs] |
| Cable length       | RAL 9005            |

## Used With





## CAB24FWD-V2

Floor cabinet 19" 24HU 800x800x1200mm fixed frame

## CAB42FWD-V2

Floor cabinet 19" 42HU 800x800x2000mm fixed frame



CAB42SWD-V2

Floor cabinet 19" 42HU 800x800x2000mm swing frame

### page 3/3

## www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.