



4000016475

## ITCS-C8

### Sauna Calling Unit

- ✓ Call unit for sauna
- ✓ Wooden construction
- ✓ Wooden handle
- ✓ Bulkhead mounting

## Description



The ITCS-C8 is a dedicated call unit for saunas, designed for bulkhead mounting. It features a wooden construction with a wooden handle, ensuring durability and heat resistance in high-temperature environments.

- ✓ Simple and reliable – Designed for easy call activation in sauna areas.
- ✓ Wooden design – Heat-resistant materials suitable for demanding conditions.
- ✓ Bulkhead mounting – Secure installation for seamless operation.

Ideal for integration into onboard or facility communication systems, the ITCS-C8 provides a safe and effective way to request assistance from sauna areas.

## Technical Dimensions

# FRONT VIEW:



# Specifications


## MECHANICAL

Dimensions (WxHxD)	200x200x57 mm (+ front plate)
Weight	0.6 kg
Cable inlet (gland)	1 x M20

## ENVIRONMENTAL


Protection	IP56
Temperature	-25°C to +130°C

### CONNECTION:



#### NOTE:

If more calling units type ITCS-C8 is used for same calling place/line they are connected in parallel



## Used With



### ITCS-1A-24VDC

Single Call Control Unit for  
Inelteh Call System  
(24VDC)



### ITCS-2A-24VDC

Dual Call Control Unit for  
Inelteh Call System  
(24VDC)



### ITCS-2A-230VAC

Dual Call Control Unit for  
Inelteh Call System  
(230VAC)



### ITCS-2A-24VDC

Dual Call Control Unit for  
Inelteh Call System  
(24VDC)



### ITCS-1A-10

ITCS Control Unit for 10  
positions