


2340110051



SPA-AC6-MED

Single Alarm Panel



MED Certification

Description


- ✓ Alarm Panel for single system
- ✓ Activating abandon, general or manual alarms
- ✓ Alarm reset button
- ✓ Replaceable text label for each button
- ✓ Separate Emergency button (EMS) for PA message
- ✓ Hinged transparent protecting cover for all buttons
- ✓ To be used together with SPA-M6
- ✓ Flush mounting, back box for wall mounting is available

page 1/4

- Buttons backlight with green illumination

The alarm panel can start three alarms and emergency message in a SPA-V2 public address and general alarm single system. To be used together with PA panels. For installation in console and indoor use.

Technical Dimensions



Specifications

GENERAL

Size (WxHxD)	96 x 144 x 82
Weight	0.4 kg
Material	Black anodized aluminium
Mounting	Flush, wall with use of back box
Connections	Plugable screw terminals for 2.5 mm ² cable
Cable glands	2 x PG-16
Cable size	6 x 2 x 0.75mm ²
IP-rating	IP-44
Operating temperature	-15°C to +55°C
EN60945 environmental category	Protected
Compass safe distance	0.35 m

GENERAL

Used With



SPA-M6-V2-MED

PA Panel Single with 6 zones, All Call, Dimmer, Flush, Green Backlight

page 4/4