



2810010126

## WCAB-1010-V2

Wall cabinet 316L SST 600x600x210mm w/brackets

- ✓ Stainless steel 1.4404(AISI 316L)
- ✓ With mounting plate
- ✓ Wall mounting set for outside mounting to wall
- ✓ Double cam lock (3 mm double-bit lock)
- ✓ IP-66

 IP66

## Description

The WCAB-1010-V2 is a robust and versatile SST wall-mounted cabinet designed for various applications.


This enclosure is made from high-quality stainless steel 1.4404 (AISI 316L), ensuring durability and resistance to corrosion. The design features a brushed surface finish with a grain size of 400, offering an aesthetic appeal while maintaining a high level of protection.

It includes a single door with a 130° opening angle and a foamed-in PU seal, enhancing its protective capabilities. The door is equipped with a cam lock and the enclosure comes with a zinc-plated mounting plate.


This enclosure is suitable for a wide range of industries due to its IP 66 protection rating, ensuring it is dust-tight and protected against powerful water jets.

## Technical Dimensions

FRONT VIEW




RIGHT VIEW




LEFT VIEW



REAR VIEW



TOP VIEW



BOTTOM VIEW



## CABINET TECHNICAL DATA

Model:	Rittal AX 1304.000
Material:	Stainless steel 1.4404 (AISI 316L)
IP Grade:	IP-66
Weight:	22kg (48,5lbs)
Lock:	2x Double bit lock
Dimensions:	600x600x210mm (WHD)
Item Numbers:	2810010126 - WCAB-1010 1153901104 - WCAB-1010M
Max. door opening angle:	130°

# Specifications

## GENERAL

Dimensions (WxHxD)	600x600x210mm
Weight	22kg (18,5lbs)
Additional mounting plate:	Dimension 550x575mm
Material	Enclosure: Stainless steel
	Door: Stainless steel, all-round foamed-in PU seal
	Mounting plate: Sheet steel Stainless steel 1.4404 (AISI 316L)
Door opening angle	130°