

2970000233

## UPS-INF-230R

Rack mount UPS, 2700W/4min, 230V, w/rails &amp; relay card



- ✓ 3000 VA UPS
- ✓ 9 IEC outlets (4 standard outlets + 1 16A outlet + 4 programmable outlets)
- ✓ Includes rack mounting rails
- ✓ Includes relay card
- ✓ Minimum cabinet depth: 800mm

---

---


## Description

The UPS-INF-230R is a high-performance, rack-mounted UPS designed to ensure seamless power protection for critical server systems. Delivering 2700W of power for up to 4 minutes at 230V, this UPS is ideal for maintaining IPTV, LAN, and CCTV systems during the switch between main and emergency ship power supplies.


Equipped with rack mounting rails and a relay card for easy integration and enhanced control, the UPS-INF-230R provides dependable power continuity, safeguarding your essential maritime infrastructure.

## Technical Dimensions


FRONT VIEW




SIDE VIEW



REAR VIEW



TOP VIEW



# Specifications

## GENERAL

Power (VA)	3000
Power (W)	2700
Phases	Single-phase/Single-phase
Format	Versatile rack/tower
Input Nominal Voltage (VAC)	208/220/230/240 VAC
Input Frequency	60/50 Hz (autodetection)
Output Voltage	208/220/230/240 VAC
Output Frequency range	50 Hz or 60 Hz +/- 1 Hz
Heat dissipation max (100% load / battery mode)	835.61

## Physical characteristics

### PHYSICAL CHARACTERISTICS

Product length (mm)	630
Product height (mm)	88
Product width (mm)	438
Product depth (mm)	630
Packed gross weight (kg)	31 kg

## Runtime

LOAD (W)	LOAD (%)	RUNTIME (H:M)
270W	10%	1:05
540W	20%	0:29
675W	25%	0:22
810W	30%	0:19
1080W	40%	0:14
1350W	50%	0:12
1620W	60%	0:09
1890W	70%	0:08
2025W	75%	0:07
2160W	80%	0:06
2430W	90%	0:05
2700W	100%	0:04