



2810010129

CAB24-TX-600

Floor Cabinet, 24HU, 600x600, IP20, w/ventilation & base

- 24HU floor cabinet
- O Top ventilation
- Base/plinth with air inlet

Description

Zenitel's 24HU floor cabinet is the ultimate solution for housing essential 19" system components in marine environments. Designed with the unique challenges of onboard installations in mind, this versatile enclosure provides ample 24HU capacity within a compact 600mm x 600mm footprint.

Built to withstand demanding maritime conditions, the cabinet features a sturdy base with air inlet and top-mounted ventilation system to ensure optimal airflow and thermal management for your critical electronics. The cabinet comes with an internal 19" fixed frame, and ground bar, and all cabinet ground wiring is already done.

Whether you're outfitting systems like LAN, CCTV, IPTV, or DECT equipment, the 24HU floor cabinet provides a comprehensive, future-proof solution for your onboard infrastructure needs.

Technical Dimensions

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



1340,5 [52,78]

T 0.0


572 [22,52] 535 [21,06]

, 1


Jo

• 🎆

535 [21,06] 599 [23,58]








Ø15 [Ø0,59]

0

-







page 2/3

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Dimensions (WxHxD)	606x1340x654 mm
Color	RAL 7035
Material	Steel
Ingress grade	IP-20
Mounting	Floor mounted
Cable inlet	Top or bottom

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.