zenitel

DATASHEET

2340110054

MB-30G (MED)

Gooseneck Microphone



Description

- Electret Gooseneck Microphone
- 5-pin DIN plug
- For use in Public Address and Talk-Back Systems
- For correct operation and performance speaking distance approximate 2cm.


Technical Dimensions

www.zenitel.com info@zenitel.com

Last revision date: 2024-11-26 09:07

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



www.zenitel.com info@zenitel.com Last revision date: 2024-11-26 09:07

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Manufacturer	Paso
Type	Electret
Art.no	MB-30G
Impedance	680 ohm
Freq.response	100 - 20000 Hz
Sensitivity	4mv/Pa
Supply	1.1-9 V
Front rear ratio	10 dB
Length	446 mm
Plug	5 pole DIN
Windscreen	Detachable sponge windscreen
Weight	0.1 kg
IP Rating	IP-32
Operating temperature	-15°C to +55°C
Environmental Condition	Protected

Used With

www.zenitel.com info@zenitel.com Last revision date: 2024-11-26 09:07

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



SPA-M6-V2-MED

PA Panel Single with 6 zones, All Call, Dimmer, Flush, Green Backlight

Item Number: 2340110049



SPA-M6-D-MED

PA Panel Dual with 6 Zones, All Call, Dimmer, Flush, Green Backlight

Item Number: 2340110050



SPA-M1-V2-MED

PA Panel Single, All-Call, Flush, Green Backlight

Item Number: 2340110047



SPA-M1-D-MED

PA Panel Dual, All-Call, Flush, Green Backlight

Item Number: 2340110048

www.zenitel.com info@zenitel.com

Last revision date: 2024-11-26 09:07

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.