
zenitel

DATASHEET



2970000219

UPS-T91-BP72A

External Battery Module for UPS-T91-3000, Tower

- Compatible with UPS-T91-3000 unit
- Available for runtimes up to 4 hours
- Tower installation

Description

EBM modules are essential on maritime vessels, offshore platforms, and energy facilities where continuous power to critical communication and control systems is vital. They extend UPS runtime for equipment such as PA/GA, intercom, IP telephony, navigation consoles, monitoring systems, and safety infrastructure.

www.zenitel.com info@zenitel.com Last revision date: 2026-07-01 12:38


Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

Specifications

GENERAL

Nominal battery voltage	72 VDC
Battery chemistry type	Sealed lead-acid maintenance free
Battery capacity (Ah)	9 Ah
Compatible UPS model	UPS-T91-3000
Dimensions W x D x H	188 x 419.1 x 317.5 mm / 7.4 x 16.5 x 12.5 in
Weight	37.2 kg / 82 lbs



Accessories

www.zenitel.com info@zenitel.com Last revision date: 2026-07-01 12:38

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



UPS-XPC-CARD

Dry Contact Interface Card

Item Number: 2970000204

Used With



UPS-T91-3000

Online UPS, 3000 VA / 2880 W, 120V, Tower

Item Number: 2970000217

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.