


2970000219



UPS-T91-BP72A

External Battery Module for UPS-T91-3000, Tower

- ✓ Compatible with UPS-T91-3000 unit
- ✓ Available for runtimes up to 4 hours
- ✓ Tower installation


Description

EBM modules are essential on maritime vessels, offshore platforms, and energy facilities where continuous power to critical communication and control systems is vital. They extend UPS runtime for equipment such as PA/GA, intercom, IP telephony, navigation consoles, monitoring systems, and safety infrastructure.

Specifications

GENERAL

Nominal battery voltage	72 VDC
Battery chemistry type	Sealed lead-acid maintenance free
Battery capacity (Ah)	9 Ah
Compatible UPS model	UPS-T91-3000
Dimensions W x D x H	188 x 419.1 x 317.5 mm / 7.4 x 16.5 x 12.5 in
Weight	37.2 kg / 82 lbs



Accessories



UPS-XPC-CARD

Dry Contact Interface Card

page 3/3

www.zenitel.com

info@zenitel.com

Last revision date: 2025-12-05 09:40

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend: Zenitel – All rights reserved.