

1021002100

VSS-MU

VSS Microphone Unit - V2 This item has been replaced by Phontech Sound Reception System

This product will be replaced by the equivalent [Phontech solution](#), but Zenitel will honor prior commitments given to the market. Therefore, we will continue to provide expansion and spare-part service for this product.



IP67

Description


Complete microphone unit for the VSS-V2 sound reception system.

- ✓ Mounting stand on plate
- ✓ Stainless steel construction
- ✓ Environment -55°C to +55°C
- ✓ Power from the VSS master panel
- ✓ 4 directional microphones

The VSS-V2 sound reception system complies to ISO 14849:2012 Ships and marine technology - Sound reception systems. The VSS-V2 system is Wheelmarked and supports EU MED directive.

The system is a navigation aid system required on ships with enclosed bridges. The system enables the officer in charge of the navigational watch to hear sound signals and determine their direction.

Technical Dimensions



Specifications

GENERAL

Housing	Stainless steel
IP rating	IP-67
Environment	-55°C to + 55°C
Directional microphones	4
Max. ambient noise level	70dB
Power	Internal from the master panel
Size (HxØ)	660 x 250 mm
Weight	5.0 kg

Accessories



VSS-SPK

VSS-V2 Spare Part Kit for VSS-MU (revision 2.06 or earlier) This item has been replaced by Phontech Sound Reception System



VSS-SPK-207

VSS-V2 spare part kit for VSS-MU (revision 2.07) This item has been replaced by Phontech Sound Reception System

Used With



VSS-MP

VSS Master Panel - V2 This item has been replaced by Phontech Sound Reception System



VSS-SP

VSS Slave Panel - V2 This item has been replaced by Phontech Sound Reception System