



4000015898

P-9052

Indoor Substation

- Built-in 2-way loudspeaker
- CALL button
- Splash proof
- Complies with IEC 60945 Standard for Marine Equipment




Onboard communication


Description

The P-9052 Substation is a command intercom system (Talk-Back) substation for indoor wet environments such as galleys and store rooms. It is a 2-way unit equipped with a CALL button.

Technical Dimensions



page 2/5



210 v 207 mm 《

page 3/5

Specifications

MECHANICAL


Dimensions (WxHxD)	100 x 155 x 52 mm (depth 62 mm including call button)
Weight	0.6 kg
Color	RAL 9005/steel
Material	PC / ABS blend / AISI 316
Mounting	Wall
Fixing	4 x M3 bolts
Access	Front
Cable Entry	Bottom
Gland Type	PG-13.5

ELECTRICAL

Power Supply	From central/line supply
SPL (1m)	>80 dB(A)
Termination	Screw terminals ≤ 2.5 mm2
Compass Safe Distance	> 5 m

ENVIRONMENTAL

Temperature	-15°C to +55°C
Humidity	+93% (at +40°C)
Ingress Protection Rating	IP-55



page 5/5

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.